

Cleaner I

CLEANER AND DEGREASER FOR NON-POROUS SUBSTRATES

ADVANTAGES

- Fast drying
- For contaminated surfaces

PRODUCT

Bostik Cleaner I is intended as a cleaner and degreaser for non-porous substrates, before the application of Bostik products, such as adhesives and sealants, on these substrates. Consult the technical data sheet of the relevant product.

APPLICATIONS

Cleaning and degreasing of non-porous surfaces in general, such as metals and particularly ceramic-coated and glass surfaces.

METHOD OF USE

Rub surfaces firmly with a dye-free cloth soaked in Cleaner I. For severe contamination clean the surface again with a new cloth.

Note: Prior to cleaning/degreasing with Cleaner I, perform a test on a small area to ensure that the surface will not be damaged by the cleaner. After cleaning, the cleaner should be allowed to dry for five minutes before application of adhesive or sealant to the cleaned surface (at 20 °C / 50% RH). In case of doubt, consult Bostik B.V.

STORAGE STABILITY

Shelf life of at least 12 months in unopened original packaging when stored in a dry place at temperatures between +5 and +30 °C.

FURTHER INFORMATION

MSDS is available at bostiksds.thewercs.com



Technical data	
Dry content	0%
Density	0,79 g/ml
Flash point	12°C
Article number	30024054
EAN code	8713572031359
Colour	transparent
Packaging	2,5 L jerrycan
Packed per	2

BOSTIK HOTLINE

Smart help + 31 (0)73 6 244 244 + 32 (0) 9 255 17 17

Bostik BV

De voerman 8 5215 MH 's-Hertogenbosch T: + 31 (0)73 6244244 infoNL@bostik.com www.bostik.nl **Bostik Belux SA - NV** Meulestedekaai 86 B-9000 Gent T: + 32 (0) 92551717 info@bostik.be **www.bostik.be**

NL-2018/02/28

All advice, recommendations, figures and safety instructions are based upon thorough research as well as the current state of our experience and are non-binding. Despite the greatest care having been taken to compile the documentation, we assume no responsibility for inaccuracies, mistakes, typographical or print errors. We reserve the right to alter the product whenever we deem necessary. Considering that the design and conditions of the substrate and the circumstances under which the application takes place are beyond our control, no responsibility with regard to the executed works can be assumed on the basis of this documentation. Therefore we advise you to perform a test on the spot yourself. All our sales and deliveries are subject to our General Conditions of fale and Delivery.