

This safety data sheet complies with the requirements of: REACH Regulation (EC) No 1907/2006, as retained in UK law by (SI 2019/758 as amended)

XPU 18570B Revision date 05-May-2023 Supercedes Date: 08-Jun-2022 Revision Number 4.01

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product Name XPU 18570B

Pure substance/mixture Mixture

1.2. Relevant identified uses of the substance or mixture and uses advised against

Recommended use Hardener

Uses advised against None known

1.3. Details of the supplier of the safety data sheet

Company Name

Bostik Limited Common Rd ST16 3EH Stafford UK

Tel: +44 (1785) 27 26 25 Fax: +44 (1785) 25 72 36

E-mail address SDS.box-EU@bostik.com

1.4. Emergency telephone number

United Kingdom Bostik: +44 (1785) 272650 (9am to 5pm Mon-Fri)

NHS: 111

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP (SI 2020/1567 as amended)

Acute toxicity - Inhalation (Dusts/Mists)	Category 4 - (H332)
Skin corrosion/irritation	Category 2 - (H315)
Serious eye damage/eye irritation	Category 2 - (H319)
Respiratory sensitisation	Category 1 - (H334)
Skin sensitisation	Category 1 - (H317)
Carcinogenicity	Category 2 - (H351)
Specific target organ toxicity — single exposure	Category 3 - (H335)
Category 3 Respiratory irritation	
Specific target organ toxicity — repeated exposure	Category 2 - (H373)

2.2. Label elements

Contains Diphenylmethane-diisocyanate, isomers and homologues, Methylenediphenyl diisocyanate, Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatebenzyl)phenyl isocyanate / methylene diphenyl diisocyanate

United Kingdom - BE Page 1 / 15

XPU 18570B Revision date 05-May-2023 Supercedes Date: 08-Jun-2022 Revision Number 4.01



Signal word Danger

Hazard statements

H315 - Causes skin irritation.

H317 - May cause an allergic skin reaction.

H319 - Causes serious eye irritation.

H332 - Harmful if inhaled.

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled.

H335 - May cause respiratory irritation.

H351 - Suspected of causing cancer.

H373 - May cause damage to organs through prolonged or repeated exposure.

Precautionary Statements - EU (§28, 1272/2008)

P260 - Do not breathe dust/fume/gas/mist/vapours/spray

P264 - Wash face, hands and any exposed skin thoroughly after handling

P280 - Wear protective gloves/protective clothing/eye protection/face protection

P312 - Call a POISON CENTER or doctor if you feel unwell

P342 + P311 - If experiencing respiratory symptoms: Call a POISON CENTER or doctor

P501 - Dispose of contents/ container to an approved waste disposal plant

Special provisions concerning the labelling of certain mixtures

Reserved for industrial and professional use. As from 24 August 2023 adequate training is required before industrial or professional use.

Additional information

This product requires tactile warnings if supplied to the general public. This product is part of a kit. Please also refer to the SDS for the other component(s) of the kit.

2.3. Other hazards

Contact with water (moisture) liberates carbon dioxide, which causes pressure increase in closed containers.

PBT & vPvB

This mixture contains no substance considered to be persistent, bioaccumulating or toxic (PBT). This mixture contains no substance considered to be very persistent nor very bioaccumulating (vPvB).

SECTION 3: Composition/information on ingredients

3.1 Substances

Not applicable

3.2 Mixtures

Chemical name	EC No (EU Index No)	CAS No	Weight-%	Classification according to Regulation (EC) No. 1272/2008 [CLP]	Specific concentration limit (SCL)	REACH registration number
Diphenylmethane-diisoc yanate, isomers and homologues	618-498-9	9016-87-9	10 - <20	STOT SE 3 (H335) STOT RE 2	STOT SE 3 :: C>=5% Skin Irrit. 2 :: C>=5% Eye Irrit. 2 :: C>=5%	[7]

United Kingdom - BE Page 2 / 15

XPU 18570B Revision date 05-May-2023 Supercedes Date: 08-Jun-2022 Revision Number 4.01

				(H373) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 4 (H332)	Resp. Sens. 1 :: C>=0.1%	
Methylenediphenyl diisocyanate	(615-005-00- 9) (615-034-00- 7) 247-714-0	26447-40-5	10 - <20	Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Carc. 2 (H351) STOT SE 3 (H335) STOT RE 2 (H373)	Eye Irrit. 2 :: C>=5% Resp. Sens. 1 :: C>=0.1% Skin Irrit. 2 :: C>=5% STOT SE 3 :: C>=5%	01-2119457015- 45-xxxx
Diphenylmethane-diisoc yanate, isomers and homologues	618-498-9	9016-87-9	1 - <2.5	STOT SE 3 (H335) STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 4 (H332)	STOT SE 3 :: C>=5% Skin Irrit. 2 :: C>=5% Eye Irrit. 2 :: C>=5% Resp. Sens. 1 :: C>=0.1%	[7]
Quartz	238-878-4	14808-60-7	0.1 - <0.5	[B]	-	[5]
Reaction mass of 4,4'-methylenediphenyl diisocyanate and o-(p-isocyanatobenzyl)p henyl isocyanate / methylene diphenyl diisocyanate	905-806-4	RR-99853-8	0.01 - < 0.05	STOT SE 3 (H335) STOT RE 2 (H373) Skin Irrit. 2 (H315) Eye Irrit. 2 (H319) Resp. Sens. 1 (H334) Skin Sens. 1 (H317) Carc. 2 (H351) Acute Tox. 4 (H332)	STOT SE 3 :: C>=5% Skin Irrit. 2 :: C>=5% Eye Irrit. 2 :: C>=5% Resp. Sens. 1 :: C>=0.1%	

NOTE [5] - This substance is exempted from registration according to the provisions of Article 2(7)(a) and Annex V of REACH

United Kingdom - BE Page 3 / 15

XPU 18570B Revision date 05-May-2023

Supercedes Date: 08-Jun-2022 Revision Number 4.01

NOTE [7] - No registration number is given for this substance because it is a polymer exempted from registration according to the provisions of Article 2(9) of REACH. All monomers or other substances within the polymer are registered or exempt from registration

Classification according to Regulation (EC) No. 1272/2008 [CLP] - Notes [B] - Substance with a Community workplace exposure limit

Full text of H- and EUH-phrases: see section 16

Substances identified by a number starting "RR-" in the CAS-field are substances for which there is no CAS# used in EU and we use an internal numbering system to track within our SDS software

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

Notes

See section 16 for more information

Chemical name	Notes
Methylenediphenyl diisocyanate - 26447-40-5	C,2

SECTION 4: First aid measures

4.1. Description of first aid measures

General advice Show this safety data sheet to the doctor in attendance. IF exposed or concerned: Get

medical advice/attention.

Inhalation May cause allergic respiratory reaction. If breathing has stopped, give artificial

respiration. Get medical attention immediately. Remove to fresh air. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Get immediate medical

attention.

Eye contactRinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.

Remove contact lenses, if present and easy to do. Continue rinsing. Keep eye wide open while rinsing. Do not rub affected area. Get medical attention if irritation develops and

persists.

Skin contact May cause an allergic skin reaction. In the case of skin irritation or allergic reactions see

a doctor. Wash off immediately with soap and plenty of water for at least 15 minutes.

Ingestion May produce an allergic reaction. Do NOT induce vomiting. Rinse mouth. Never give

anything by mouth to an unconscious person. Get immediate medical attention.

Self-protection of the first aider Ensure that medical personnel are aware of the material(s) involved, take precautions to

protect themselves and prevent spread of contamination. Avoid contact with skin, eyes or clothing. Avoid direct contact with skin. Use barrier to give mouth-to-mouth resuscitation. Use personal protective equipment as required. See section 8 for more information.

Avoid breathing vapours or mists.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms May cause allergy or asthma symptoms or breathing difficulties if inhaled. Coughing and/

or wheezing. Itching. Rashes. Hives. May cause redness and tearing of the eyes.

Burning sensation. Difficulty in breathing.

4.3. Indication of any immediate medical attention and special treatment needed

United Kingdom - BE Page 4/15

XPU 18570B Revision date 05-May-2023 Supercedes Date: 08-Jun-2022 Revision Number 4.01

Note to doctors May cause sensitisation in susceptible persons. Treat symptomatically.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable Extinguishing Media

Use extinguishing measures that are appropriate to local circumstances and the

surrounding environment.

Unsuitable extinguishing media No information available.

5.2. Special hazards arising from the substance or mixture

Specific hazards arising from the

chemical

Product is or contains a sensitiser. May cause sensitisation by inhalation. May cause

sensitisation by skin contact.

Hazardous combustion products Carbon oxides. Carbon monoxide. Carbon dioxide (CO2). Nitrogen oxides (NOx).

Hydrogen cyanide. Isocyanates. Silicon dioxide. Thermal decomposition can lead to

release of irritating and toxic gases and vapours.

5.3. Advice for firefighters

Special protective equipment and precautions for fire-fighters

Special protective equipment and Firefighters should wear self-contained breathing apparatus and full firefighting turnout

gear. Use personal protection equipment.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. Use personal

protective equipment as required. Evacuate personnel to safe areas. Keep people away

from and upwind of spill/leak. Avoid breathing vapours or mists.

Other information Refer to protective measures listed in Sections 7 and 8.

For emergency responders

Use personal protection recommended in Section 8.

6.2. Environmental precautions

Environmental precautions Prevent further leakage or spillage if safe to do so.

6.3. Methods and material for containment and cleaning up

Methods for containment Do NOT close container (evolution of carbon dioxide - CO2). Keep wet and put outdoors

in a secured place for a few days. Then dispose to of according to local / national regulations (see Section 13). Dyke far ahead of liquid spill for later disposal. Absorb with earth, sand or other non-combustible material and transfer to containers for later

disposal.

Methods for cleaning up 2%, Liquid dishwashing soap, a mixture of 90% water and 8-10% sodium carbonate.

Dam up. Soak up with inert absorbent material. Pick up and transfer to properly labelled containers. Decontaminate floor with decontamination solution letting stand for at least

15 minutes.

Prevention of secondary hazards Clean contaminated objects and areas thoroughly observing environmental regulations.

6.4. Reference to other sections

Reference to other sections See section 8 for more information. See section 13 for more information.

United Kingdom - BE Page 5 / 15

XPU 18570B Revision date 05-May-2023

Supercedes Date: 08-Jun-2022 **Revision Number** 4.01

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling Please also refer to the SDS for the other component(s) of the kit. This product is part of

a kit. Handle in accordance with good industrial hygiene and safety practice. Avoid contact with skin, eyes or clothing. Ensure adequate ventilation. In case of insufficient ventilation, wear suitable respiratory equipment. Do not eat, drink or smoke when using this product. Take off contaminated clothing and wash it before reuse. Avoid breathing

vapours or mists.

Avoid contact with skin, eyes or clothing. Wear suitable gloves and eye/face protection. **General hygiene considerations**

Do not eat, drink or smoke when using this product. Remove and wash contaminated clothing and gloves, including the inside, before re-use. Wash hands before breaks and

immediately after handling the product.

7.2. Conditions for safe storage, including any incompatibilities

Keep containers tightly closed in a dry, cool and well-ventilated place. Store locked up. **Storage Conditions**

Keep out of the reach of children. Keep from freezing. Protect from moisture.

Recommended storage

temperature

Keep at temperatures between 10 and 35 °C.

7.3. Specific end use(s)

Specific use(s)

Hardener.

Risk Management Methods (RMM) The information required is contained in this Safety Data Sheet.

Other information Observe technical data sheet.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure Limits

Chemical name	European Union	United Kingdom
Limestone	-	TWA: 10 mg/m ³
1317-65-3		TWA: 4 mg/m ³
		STEL: 30 mg/m ³
		STEL: 12 mg/m ³
Diphenylmethane-diisocyanate, isomers and	-	TWA: 0.02 mg/m ³
homologues		STEL: 0.07 mg/m ³ SEN; as -NCO
9016-87-9		-
Methylenediphenyl diisocyanate	-	TWA: 0.02 mg/m ³
26447-40-5		STEL: 0.07 mg/m ³
		Sen+
Diphenylmethane-diisocyanate, isomers and	-	TWA: 0.02 mg/m ³
homologues		STEL: 0.07 mg/m ³ SEN; as -NCO
9016-87-9		-
Quartz	TWA: 0.1 mg/m ³	TWA: 0.1 mg/m ³
14808-60-7		STEL: 0.3 mg/m ³

Chemical name	European Union	Ireland	United Kingdom
Methylenediphenyl diisocyanate	-	1 µmol/mol Creatinine (urine -	-
26447-40-5		urinary Diamine post task)	

No information available **Derived No Effect Level (DNEL)**

United Kingdom - BE Page 6/15

XPU 18570B Revision date 05-May-2023

Supercedes Date: 08-Jun-2022 **Revision Number** 4.01

Predicted No Effect Concentration (PNEC)

8.2. Exposure controls

Ensure adequate ventilation, especially in confined areas. Vapours/aerosols must be **Engineering controls**

exhausted directly at the point of origin.

Personal protective equipment

Eye/face protection Wear safety glasses with side shields (or goggles). Eye protection must conform to

standard EN 166.

Hand protection Wear suitable gloves. Gloves must conform to standard EN 374. Recommended Use:.

Nitrile rubber. Viton™. Unsuitable protective clothing. Natural rubber. Disposable gloves. Glove thickness > 0.7mm. The breakthrough time for the mentioned glove material is in general greater than 480 min. Ensure that the breakthrough time of the glove material is not exceeded. Refer to glove supplier for information on breakthrough time for specific

gloves.

Skin and body protection Wear suitable protective clothing.

In case of inadequate ventilation wear respiratory protection. During spraying wear Respiratory protection

suitable respiratory equipment.

Wear a respirator conforming to EN 140 with Type A/P2 filter or better. Organic gases Recommended filter type:

and vapours filter conforming to EN 14387.

Environmental exposure controls Do not allow uncontrolled discharge of product into the environment.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Liquid Physical state **Appearance** Viscous Colour Brown

Odour No information available. **Odour threshold** No information available

Remarks • Method **Property** Values

Melting point / freezing point No data available None known Initial boiling point and boiling No data available None known

range

Flammability Not applicable for liquids .

Flammability Limit in Air None known Upper flammability or explosive No data available

limits

Lower flammability or explosive No data available

limits

CC (closed cup) > 100 °C Flash point Autoignition temperature No data available None known

Decomposition temperature

None known No data available None known. pH (as aqueous solution) No data available None known Kinematic viscosity No data available None known

Dynamic viscosity 20000 - 40000 mPas Spindle A7 @ 20 rpm @ 23 °C

Water solubility Insoluble in water.

Solubility(ies) No data available None known **Partition coefficient** No data available None known Vapour pressure No data available None known Relative density No data available None known

Bulk Density No data available **Liquid Density** 1.45 - 1.50 g/cm³

Relative vapour density No data available None known

Particle characteristics

Particle Size No information available

United Kingdom - BE Page 7 / 15

XPU 18570B Revision date 05-May-2023

Supercedes Date: 08-Jun-2022 Revision Number 4.01

Particle Size Distribution No information available

9.2. Other information

Solid content (%) No information available

VOC content No data available

9.2.1. Information with regards to physical hazard classes

Not applicable

9.2.2. Other safety characteristics

No information available

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity No information available.

10.2. Chemical stability

Stability Stable under normal conditions.

None.

Explosion data

Sensitivity to mechanical

impact

Sensitivity to static discharge None.

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Contact with water (moisture) liberates carbon dioxide, which causes pressure increase

in closed containers. Exothermic reaction with. Amines. Alcohols.

Hazardous polymerisation Hazardous polymerisation may occur. Hazardous polymerisation may take place during a

fire due to heat. Closed containers could violently rupture.

10.4. Conditions to avoid

Conditions to avoid Excessive heat. Do not freeze. Protect from moisture.

10.5. Incompatible materials

Incompatible materials Strong acids. Strong bases. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition

products

None under normal use conditions.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Information on likely routes of exposure

Product Information

Inhalation Specific test data for the substance or mixture is not available. May cause sensitisation in

susceptible persons. (based on components). May cause irritation of respiratory tract.

Harmful by inhalation.

United Kingdom - BE Page 8/15

XPU 18570B Revision date 05-May-2023 Supercedes Date: 08-Jun-2022 Revision Number 4.01

irritation. (based on components). May cause redness, itching, and pain.

Skin contact Specific test data for the substance or mixture is not available. Repeated or prolonged

skin contact may cause allergic reactions with susceptible persons. (based on components). May cause sensitisation by skin contact. Causes skin irritation.

Specific test data for the substance or mixture is not available. Causes serious eye

Ingestion Specific test data for the substance or mixture is not available. May cause additional

affects as listed under "Inhalation". Ingestion may cause gastrointestinal irritation,

nausea, vomiting and diarrhoea.

Symptoms related to the physical, chemical and toxicological characteristics

Symptoms Symptoms of allergic reaction may include rash, itching, swelling, trouble breathing,

tingling of the hands and feet, dizziness, lightheadedness, chest pain, muscle pain, or flushing. Coughing and/ or wheezing. Itching. Rashes. Hives. Redness. May cause

redness and tearing of the eyes.

Acute toxicity

Eye contact

Numerical measures of toxicity

The following values are calculated based on chapter 3.1 of the GHS document

 ATEmix (oral)
 >5000 mg/kg

 ATEmix (dermal)
 39,540.30 mg/kg

 ATEmix (inhalation-gas)
 >20000 ppm

 ATEmix (inhalation-dust/mist)
 3.27 mg/l

 ATEmix (inhalation-vapour)
 >20 mg/l

Component Information

Chemical name	Oral LD50	Dermal LD50	Inhalation LC50
Diphenylmethane-diisocyanate,	LD50 > 10000 mg/kg (Rattus)	LD 50 > 9400 mg/kg	=1.5 mg/L (Rattus) 4 h
isomers and homologues		(Oryctolagus cuniculus)	
Methylenediphenyl	>10000 mg/kg (Rattus)	> 10000 mg/kg (Oryctolagus	=490 mg/m³ (Rattus) 4 h
diisocyanate		cuniculus)	
Diphenylmethane-diisocyanate,	LD50 > 10000 mg/kg (Rattus)	LD 50 > 9400 mg/kg	1.5 mg/L (Rattus) 4 h
isomers and homologues		(Oryctolagus cuniculus)	
Quartz	>2000 mg/kg (Rattus)	-	-
Reaction mass of	LD50 > 2000 mg/kg (Rattus)	LD50 >9400 mg/Kg	LC50 (4h) = 0,49 mg/l (Rattus)
4,4'-methylenediphenyl		(Oryctolagus cuniculus)	
diisocyanate and			
o-(p-isocyanatobenzyl)phenyl			
isocyanate / methylene			
diphenyl diisocyanate			

Delayed and immediate effects as well as chronic effects from short and long-term exposure

Skin corrosion/irritation Classification based on data available for ingredients. Causes skin irritation.

Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
OECD Test No. 404:	Rabbit				Mild skin irritant
Acute Dermal					
Irritation/Corrosion					

Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)

Method	Species	Exposure route	Effective dose	Exposure time	Results
Metrioa	Орсско	Exposure route	Elicotive dosc	Exposure time	results

United Kingdom - BE Page 9 / 15

XPU 18570B Revision date 05-May-2023 Supercedes Date: 08-Jun-2022 **Revision Number** 4.01

OECD Test No. 404:	Rabbit		Mild skin irritant
Acute Dermal			
Irritation/Corrosion			

Serious eye damage/eye irritation Classification based on data available for ingredients. Causes serious eye irritation.

May cause allergy or asthma symptoms or breathing difficulties if inhaled. May cause an Respiratory or skin sensitisation allergic skin reaction.

Diphenylmethane-diisocvanate, isomers and homologues (9016-87-9)

Elphorylmetriane dilectyariate, lectricie and nomelegace (corrective)						
Method	Species	Exposure route	Results			
OECD Test No. 406: Skin	Guinea pig		No sensitisation responses			
Sensitisation	-		were observed			
OECD Test No. 429: Skin	Mouse		sensitising			
Sensitisation: Local Lymph Node			_			
Assay						

Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)

Method	Species	Exposure route	Results
OECD Test No. 429: Skin	Mouse		sensitising
Sensitisation: Local Lymph Node			_
Assay			

Based on available data, the classification criteria are not met. Germ cell mutagenicity

Contains a known or suspected carcinogen. Classification based on data available for Carcinogenicity

ingredients. Suspected of causing cancer.

The table below indicates whether each agency has listed any ingredient as a carcinogen.

Component Information

Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)

Method	Species	Results
OECD Test No. 453: Combined Chronic	Rat	Carcinogenic
Toxicity/Carcinogenicity Studies		

Methylenediphenyl diisocyanate (26447-40-5)

Method	Species	Results
	in vivo	Limited evidence of a carcinogenic
		effect

Diphenylmethane-diisocyanate isomers and homologues (9016-87-9)

Method	Species	Results	
OECD Test No. 453: Combined Chronic	Rat	Carcinogenic	
Toxicity/Carcinogenicity Studies			

Chemical name	European Union
Methylenediphenyl diisocyanate	Carc. 2
Reaction mass of 4,4'-methylenediphenyl diisocyanate and	Carc. 2
o-(p-isocyanatobenzyl)phenyl isocyanate / methylene diphenyl	
diisocyanate	

Reproductive toxicity

Based on available data, the classification criteria are not met.

United Kingdom - BE Page 10 / 15

XPU 18570B Revision date 05-May-2023

Supercedes Date: 08-Jun-2022 Revision Number 4.01

STOT - single exposure May cause respiratory irritation.

STOT - repeated exposure May cause damage to organs through prolonged or repeated exposure.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2. Information on other hazards

11.2.1. Endocrine disrupting properties

Endocrine disrupting properties No information available.

11.2.2. Other information

Other adverse effects No information available.

Note: PC-ADH-8 Multi-component adhesives and sealants Please also refer to the SDS for the

other component(s) of the kit This product is part of a kit

SECTION 12: Ecological information

12.1. Toxicity

Ecotoxicity

Chemical name	Algae/aquatic plants	Fish	Toxicity to microorganisms	Crustacea	M-Factor	M-Factor (long-term)
Diphenylmethane-diiso cyanate, isomers and homologues 9016-87-9		CL50 (96h) >1000 mg/L (Danio rerio)	-	EC50 (24H) >1000 mg/L Daphnia magna		
Methylenediphenyl diisocyanate 26447-40-5	EC50: =3230mg/L (96h, Skeletonema costatum)	-	-	EC50: >1000mg/L (24h, Daphnia magna)		
Diphenylmethane-diiso cyanate, isomers and homologues 9016-87-9	ErC50 (72h) >1640 mg/L Algae (scenedesmus subspicatus) (OECD 201)	CL50 (96h) >1000 mg/L (Danio rerio)	-	EC50 (24H) >1000 mg/L Daphnia magna		

12.2. Persistence and degradability

Persistence and degradability No information available.

Diphenylmethane-diisocyanate, isomers and homologues (9016-87-9)

Method	Exposure time	Value	Results
OECD Test No. 302C: Inherent	28 days	0% biodegradation	Not readily biodegradable
Biodegradability: Modified MITI Test			
(II)			

Diphenylmethane-diisocvanate, isomers and homologues (9016-87-9)

Method	1		Results
OECD Test No. 302C: Inherent	28 days	0% biodegradation	Not readily biodegradable

United Kingdom - BE Page 11 / 15

XPU 18570B Revision date 05-May-2023

Supercedes Date: 08-Jun-2022 **Revision Number** 4.01

Biodegradability: Modified MITI Te	t		
------------------------------------	---	--	--

Quartz (14808-60-7)

12.3. Bioaccumulative potential

Bioaccumulation

Component Information

Chemical name		Partition coefficient
Methylenediphenyl diisocyanate		4.5
	Reaction mass of 4,4'-methylenediphenyl diisocyanate and	4.51
	o-(p-isocyanatobenzyl)phenyl isocyanate / methylene diphenyl	
	diisocyanate	

12.4. Mobility in soil

No information available. Mobility in soil

12.5. Results of PBT and vPvB assessment

PBT and vPvB assessment The product does not contain any substance(s) classified as PBT or vPvB above the

threshold of declaration.

Chemical r	name	PBT and vPvB assessment
Reaction mass of 4,4'-methylene		The substance is not PBT / vPvB
o-(p-isocyanatobenzyl)phenyl isoc	yanate / methylene diphenyl	
diisocyar	ate	

12.6. Endocrine disrupting properties

Endocrine disrupting properties No information available.

12.7. Other adverse effects

No information available.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Waste from residues/unused

products

Dispose of in accordance with local regulations. Dispose of waste in accordance with

environmental legislation.

Contaminated packaging Do not reuse empty containers.

according to EWC

Waste codes / waste designations 16 05 05 gases in pressure containers other than those mentioned in 16 05 04. Waste codes should be assigned by the user based on the application for which the product

was used.

08 05 01* waste isocyanates **European Waste Catalogue**

08 04 09* waste adhesives and sealants containing organic solvents or other dangerous

15 01 10*: Packaging containing residues of or contaminated by dangerous substances

Other information Waste codes should be assigned by the user based on the application for which the

product was used.

United Kingdom - BE Page 12/15

XPU 18570B Revision date 05-May-2023

Supercedes Date: 08-Jun-2022 **Revision Number** 4.01

SECTION 14: Transport information

Keep from freezing. Note:

Land transport (ADR/RID)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated Not regulated 14.4 Packing group 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None

IMDG

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated NP

14.5 Marine pollutant 14.6 Special precautions for user

Special Provisions None

14.7 Maritime transport in bulk according to IMO instruments

Transport in bulk according to Annex II of MARPOL and the IBC Code Not applicable

Air transport (ICAO-TI / IATA-DGR)

14.1 UN number or ID number Not regulated 14.2 UN proper shipping name Not regulated 14.3 Transport hazard class(es) Not regulated 14.4 Packing group Not regulated 14.5 Environmental hazards Not applicable

14.6 Special precautions for user

Special Provisions None

Section 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

European Union

Take note of Directive 98/24/EC on the protection of the health and safety of workers from the risks related to chemical agents at work

Check whether measures in accordance with Directive 94/33/EC for the protection of young people at work must be taken.

Take note of Directive 92/85/EC on the protection of pregnant and breastfeeding women at work

Registration, Evaluation, Authorization, and Restriction of Chemicals (REACh) Regulation (EC 1907/2006)

SVHC: Substances of Very High Concern for Authorisation:

This product does not contain candidate substances of very high concern at a concentration >=0.1% (Regulation (EC) No. 1907/2006 (REACH), Article 59)

EU-REACH (1907/2006) - Annex XVII - Substances subject to Restriction

This product contains one or more substance(s) subject to restriction (Regulation (EC) No. 1907/2006 (REACH), Annex XVII).

Chemical name	CAS No	Restricted substance per REACH Annex XVII
Diphenylmethane-diisocyanate, isomers and homologues	9016-87-9	56

United Kingdom - BE Page 13/15

XPU 18570B Revision date 05-May-2023 Supercedes Date: 08-Jun-2022 Revision Number 4.01

Methylenediphenyl diisocyanate	26447-40-5	56. 74.
Diisocyantes		74
Diphenylmethane-diisocyanate, isomers and homologues	9016-87-9	56 74

If product supplied to the general public with substance ≥0.1%, then gloves must be provided with the product. **56** . **74** If product supplied to the industrial or professional users with total monomeric diisocyanates ≥ 0.1%, then its packaging must mention "As from 24 August 2023 adequate training is required before industrial or professional use".

Substance subject to authorisation per REACH Annex XIV

This product does not contain substances subject to authorisation (Regulation (EC) No. 1907/2006 (REACH), Annex XIV)

Ozone-depleting substances (ODS) regulation (EC) 1005/2009

Not applicable

Persistent Organic Pollutants

Not applicable

National regulations

15.2. Chemical safety assessment

Chemical Safety Assessments have been carried out by the Reach registrants for substances registered at >10 tpa. No Chemical Safety Assessment has been carried out for this mixture

SECTION 16: Other information

Key or legend to abbreviations and acronyms used in the safety data sheet

Full text of H-Statements referred to under section 3

H315 - Causes skin irritation

H317 - May cause an allergic skin reaction

H319 - Causes serious eye irritation

H332 - Harmful if inhaled

H334 - May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 - May cause respiratory irritation

H351 - Suspected of causing cancer

H373 - May cause damage to organs through prolonged or repeated exposure

Notes relating to the identification, classification and labelling of substances

Note C: Some organic substances may be marketed either in a specific isomeric form or as a mixture of several isomers. In this case the supplier must state on the label whether the substance is a specific isomer or a mixture of isomers

Notes relating to the classification and labelling of mixtures

Note 2: The concentration of isocyanate stated is the percentage by weight of the free monomer calculated with reference to the total weight of the mixture

Legend

TWA TWA (time-weighted average)
STEL STEL (Short Term Exposure Limit)

Ceiling Ceiling Limit Value
* Skin designation

SVHC Substance(s) of Very High Concern

PBT Persistent, Bioaccumulative, and Toxic (PBT) Chemicals vPvB Very Persistent and very Bioaccumulative (vPvB) Chemicals

STOT RE Specific target organ toxicity - Repeated exposure

United Kingdom - BE Page 14/15

XPU 18570B Revision date 05-May-2023

Supercedes Date: 08-Jun-2022 Revision Number 4.01

STOT SE Specific target organ toxicity - Single exposure

EWC European Waste Catalogue

ADR European Agreement concerning the International Carriage of Dangerous Goods by

Road

IMDG International Maritime Dangerous Goods (IMDG)
IATA International Air Transport Association (IATA)

RID Regulations concerning the International Transport of Dangerous Goods by Rail

Key literature references and sources for data

No information available

Prepared By Product Safety & Regulatory Affairs

Revision date 05-May-2023

Indication of changes

Revision note SDS sections updated: 1.

Training Advice When working with hazardous materials, regular training of operators is required by law

AS FROM 24 AUGUST 2023 ADEQUATE TRAINING IS REQUIRED BEFORE INDUSTRIAL OR PROFESSIONAL USE For further information, please contact:

https://www.safeusediisocyanates.eu/

Further information No information available

This material safety data sheet complies with requirements of UK REACH Regulations (SI 2019/758 as amended)

Disclaimer

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

End of Safety Data Sheet

United Kingdom - BE Page 15/15